







Rvs sok bn.dr. 316 BSP

| | NW | Afmeting | L mm | D mm |
|--|-----|----------|---------|---------|
|   | 6 | 1/8" | 17 | 14 |
| | 8 | 1/4" | 25 | 18 |
| | 10 | 3/8" | 26 | 21 |
| | 15 | 1/2" | 34 | 26 |
| | 20 | 3/4" | 36 | 32 |
| | 25 | 1" | 43 | 39 |
| | 32 | 1 1/4" | 48 | 48 |
| | 40 | 1 1/2" | 48 | 55 |
| | 50 | 2" | 56 | 66 |
| | 65 | 2 1/2" | 65 | 82 |
| | 80 | 3" | 71 | 95 |
| | 100 | 4" | 83 | 125 |
| | | | | |
| | | | | |

Rvs (halve lassok) bn.dr. 316 BSP

| | NW | Afmeting | L mm | D mm |
|--|-----|----------|---------|---------|
|   | 6 | 1/8" | 8 | 14 |
| | 8 | 1/4" | 11 | 18 |
| | 10 | 3/8" | 12 | 21 |
| | 15 | 1/2" | 15 | 26 |
| | 20 | 3/4" | 17 | 32 |
| | 25 | 1" | 20 | 39 |
| | 32 | 1 1/4" | 22 | 48 |
| | 40 | 1 1/2" | 22 | 55 |
| | 50 | 2" | 26 | 68 |
| | 65 | 2 1/2" | 30 | 88 |
| | 80 | 3" | 33 | 100 |
| | 100 | 4" | 39 | 125 |
| | | | | |
| | | | | |



Rvs lasnippel bt.dr. 316 BSP



| | NW | Afmeting | L | D | S |
|--|-----|----------|----|-----|-----|
| | | | mm | mm | mm |
| | 6 | 1/8" | 30 | 10 | 2.0 |
| | 8 | 1/4" | 30 | 13 | 2.3 |
| | 10 | 3/8" | 30 | 17 | 2.3 |
| | 15 | 1/2" | 35 | 21 | 2.6 |
| | 20 | 3/4" | 40 | 26 | 2.6 |
| | 25 | 1" | 40 | 33 | 3.2 |
| | 32 | 1 1/4" | 50 | 42 | 3.2 |
| | 40 | 1 1/2" | 50 | 48 | 3.6 |
| | 50 | 2" | 55 | 60 | 3.6 |
| | 65 | 2 1/2" | 60 | 76 | 3.6 |
| | 80 | 3" | 65 | 88 | 4.0 |
| | 100 | 4" | 90 | 114 | 6.0 |
| | | | | | |
| | | | | | |

Rvs dubbele pijpnipl bt.dr. 316 BSP



| | NW | Afmeting | L | D | S |
|--|-----|----------|-----|-----|-----|
| | | | mm | mm | mm |
| | 6 | 1/8" | 40 | 10 | 2.0 |
| | 8 | 1/4" | 40 | 13 | 2.3 |
| | 10 | 3/8" | 40 | 17 | 2.3 |
| | 15 | 1/2" | 60 | 21 | 2.6 |
| | 20 | 3/4" | 60 | 26 | 2.6 |
| | 25 | 1" | 60 | 33 | 3.2 |
| | 32 | 1 1/4" | 80 | 42 | 3.2 |
| | 40 | 1 1/2" | 80 | 48 | 3.6 |
| | 50 | 2" | 100 | 60 | 3.6 |
| | 65 | 2 1/2" | 100 | 76 | 3.6 |
| | 80 | 3" | 120 | 88 | 4.0 |
| | 100 | 4" | 150 | 114 | 4.0 |
| | | | | | |
| | | | | | |

Rvs draadnippel bt.dr. 316 BSP



| | NW | Afmeting | L mm |
|--|----|----------|---------|
|   | 8 | 1/4" | 18 |
| | 10 | 3/8" | 22 |
| | 15 | 1/2" | 25 |
| | 20 | 3/4" | 30 |
| | 25 | 1" | 35 |
| | 32 | 1 1/4" | 38 |
| | 40 | 1 1/2" | 38 |
| | 50 | 2" | 45 |
| | 65 | 2 1/2" | 55 |
| | 80 | 3" | 60 |
| | | | |
| | | | |
| | | | |
| | | | |

Rvs dubbele zeskantnippel bt.dr. 316 BSP

| | NW | Afmeting | L mm | N mm |
|--|----|----------|---------|---------|
|   | 6 | 1/8" | 21 | 12 |
| | 8 | 1/4" | 28 | 14 |
| | 10 | 3/8" | 29 | 19 |
| | 15 | 1/2" | 36 | 22 |
| | 20 | 3/4" | 41 | 30 |
| | 25 | 1" | 46 | 35 |
| | 32 | 1 1/4" | 54 | 46 |
| | 40 | 1 1/2" | 54 | 50 |
| | 50 | 2" | 65 | 65 |
| | 65 | 2 1/2" | 76 | 80 |
| 80 | 3" | 85 | 90 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



Rvs knie 90° bn.dr. x bn.dr. 316 BSP

| | NW | Afmeting | L mm |
|--|-----|----------|---------|
| | 6 | 1/8" | 18 |
| | 8 | 1/4" | 21 |
| | 10 | 3/8" | 24 |
| | 15 | 1/2" | 28 |
| | 20 | 3/4" | 33 |
| | 25 | 1" | 38 |
| | 32 | 1 1/4" | 45 |
| | 40 | 1 1/2" | 49 |
| | 50 | 2" | 57 |
| | 65 | 2 1/2" | 69 |
| | 80 | 3" | 78 |
| | 100 | 4" | 96 |

Rvs knie 90° bn.dr. x bt.dr. 316 BSP

| | NW | Afmeting | L mm |
|----|--------|----------|---------|
| | 8 | 1/4" | 21 |
| | 10 | 3/8" | 24 |
| | 15 | 1/2" | 28 |
| | 20 | 3/4" | 33 |
| | 25 | 1" | 38 |
| | 32 | 1 1/4" | 45 |
| | 40 | 1 1/2" | 49 |
| | 50 | 2" | 57 |
| 65 | 2 1/2" | 69 | |



Rvs t-stuk 3x bn.dr. 316 BSP



| | NW | Afmeting | L mm |
|--|----|----------|---------|
| | 6 | 1/8" | 18 |
| | 8 | 1/4" | 21 |
| | 10 | 3/8" | 24 |
| | 15 | 1/2" | 28 |
| | 20 | 3/4" | 33 |
| | 25 | 1" | 38 |
| | 32 | 1 1/4" | 45 |
| | 40 | 1 1/2" | 49 |
| | 50 | 2" | 57 |
| | 65 | 2 1/2" | 69 |
| | 80 | 3" | 78 |
| | | | |

Rvs koppeling bn.dr. x bn.dr. konische raakvlakken 316 BSP



| | NW | Afmeting | L mm | D mm | S mm |
|--|----|----------|---------|---------|---------|
| | 6 | 1/8" | 32 | 19 | 14 |
| | 8 | 1/4" | 38 | 27 | 21 |
| | 10 | 3/8" | 41 | 32 | 24 |
| | 15 | 1/2" | 46 | 36 | 26 |
| | 20 | 3/4" | 50 | 46 | 32 |
| | 25 | 1" | 55 | 50 | 41 |
| | 32 | 1 1/4" | 62 | 60 | 48 |
| | 40 | 1 1/2" | 64 | 65 | 53 |
| | 50 | 2" | 67 | 83 | 70 |
| | 65 | 2 1/2" | 70 | 100 | 85 |
| | 80 | 3" | 75 | 115 | 100 |
| | | | | | |



Rvs zeskant plug bt.dr. cilindrische draad 316 BSP



| | NW | Afmeting | L mm | N mm | I mm | |
|--|----|----------|---------|---------|---------|--|
|   | 6 | 1/8" | 13 | 14 | 7 | |
| | 8 | 1/4" | 16 | 19 | 10 | |
| | 10 | 3/8" | 17 | 22 | 11 | |
| | 15 | 1/2" | 22 | 27 | 14 | |
| | 20 | 3/4" | 24 | 29 | 15 | |
| | 25 | 1" | 28 | 41 | 18 | |
| | 32 | 1 1/4" | 30 | 50 | 19 | |
| | 40 | 1 1/2" | 32 | 55 | 20 | |
| | 50 | 2" | 36 | 70 | 24 | |
| | 65 | 2 1/2" | 40 | 85 | 28 | |
| | 80 | 3" | 45 | 95 | 32 | |
| | | | | | | |
| | | | | | | |

Rvs zeskant plug bt.dr. konische draad 316 BSP



| | NW | Afmeting | L mm | N mm | I mm |
|--|----|----------|---------|---------|---------|
|   | 6 | 1/8" | 14 | 14 | 8 |
| | 8 | 1/4" | 17 | 14 | 11 |
| | 10 | 3/8" | 17 | 19 | 11 |
| | 15 | 1/2" | 22 | 22 | 15 |
| | 20 | 3/4" | 24 | 30 | 16 |
| | 25 | 1" | 27 | 36 | 18 |
| | 32 | 1 1/4" | 32 | 46 | 21 |
| | 40 | 1 1/2" | 33 | 50 | 21 |
| | 50 | 2" | 38 | 63 | 25 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



Rvs vierkant plug bt.dr. konische draad 316 BSP

| | NW | Afmeting | L mm | N mm |
|---|----|----------|---------|---------|
|  | 6 | 1/8" | 16 | 7 |
| | 8 | 1/4" | 18 | 9 |
| | 10 | 3/8" | 20 | 10 |
| | 15 | 1/2" | 22 | 11 |
| | 20 | 3/4" | 27 | 16 |
| | 25 | 1" | 32 | 19 |
| | 32 | 1 1/4" | 36 | 22 |
| | 40 | 1 1/2" | 37 | 22 |
| | 50 | 2" | 43 | 27 |
| | 65 | 2 1/2" | 46 | 32 |
|  | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Rvs zeskant gasmoer bn.dr. 316 BSP

| | NW | Afmeting | L mm | N mm |
|---|----|----------|---------|---------|
|  | 6 | 1/8" | 7 | 17 |
| | 8 | 1/4" | 8 | 22 |
| | 10 | 3/8" | 9 | 27 |
| | 15 | 1/2" | 9 | 32 |
| | 20 | 3/4" | 10 | 36 |
| | 25 | 1" | 11 | 46 |
| | 32 | 1 1/4" | 13 | 55 |
| | 40 | 1 1/2" | 13 | 60 |
| | 50 | 2" | 14 | 75 |
| | 65 | 2 1/2" | 16 | 95 |
|  | 80 | 3" | 19 | 105 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



Rvs draadbocht 90° bt.dr. zonder sok 316 BSP

| | NW | Afmeting | L mm | H mm |
|--|----|----------|---------|---------|
| | 6 | 1/8" | 50 | 50 |
| | 8 | 1/4" | 60 | 60 |
| | 10 | 3/8" | 70 | 70 |
| | 15 | 1/2" | 90 | 90 |
| | 20 | 3/4" | 100 | 100 |
| | 25 | 1" | 120 | 120 |
| | 32 | 1 1/4" | 140 | 140 |
| | 40 | 1 1/2" | 160 | 160 |
| | 50 | 2" | 190 | 190 |
| | | | | |

Rvs slangpilaar bt.dr. 316 BSP

| | NW | Afmeting | L mm | N mm | D1 mm |
|-----|----|----------|---------|---------|----------|
| | 6 | 1/8" | 36 | 13 | 6,5 |
| | 8 | 1/4" | 40 | 17 | 6,5 |
| | 8 | 1/4" | 40 | 17 | 8,5 |
| | 10 | 3/8" | 42 | 20 | 11,0 |
| | 15 | 1/2" | 48 | 24 | 12,7 |
| | 15 | 1/2" | 48 | 24 | 14,0 |
| | 20 | 3/4" | 56 | 31 | 19,0 |
| | 25 | 1" | 65 | 39 | 25,4 |
| | 32 | 1 1/4" | 75 | 46 | 31,8 |
| | 32 | 1,25 | 75 | 46 | 33,0 |
| | 40 | 1,5 | 78 | 52 | 38,1 |
| | 50 | 2 | 96 | 62 | 50,8 |
| | 65 | 2,5 | 107 | 80 | 63,5 |
| | 65 | 2,5 | 107 | 80 | 67 |
| | 80 | 3 | 112 | 91 | 76,1 |
| | 80 | 3 | 112 | 91 | 80,0 |
| 100 | 4 | 130 | 117 | 101,6 | |
| 100 | 4 | 130 | 117 | 105 | |

