




Rvs verloopnippel bt.dr. x bt.dr. 316 BSP

[illegible]


[illegible]

Rvs sok bn.dr. 316 BSP




	NW	Afmeting	L mm	D mm
 	6	1/8"	17	14
	8	1/4"	25	18
	10	3/8"	26	21
	15	1/2"	34	26
	20	3/4"	36	32
	25	1"	43	39
	32	1 1/4"	48	48
	40	1 1/2"	48	55
	50	2"	56	66
	65	2 1/2"	65	82
	80	3"	71	95
	100	4"	83	125

Rvs (halve lassok) bn.dr. 316 BSP


	NW	Afmeting	L mm	D mm
 	6	1/8"	8	14
	8	1/4"	11	18
	10	3/8"	12	21
	15	1/2"	15	26
	20	3/4"	17	32
	25	1"	20	39
	32	1 1/4"	22	48
	40	1 1/2"	22	55
	50	2"	26	68
	65	2 1/2"	30	88
	80	3"	33	100
	100	4"	39	125

Rvs lasnippel bt.dr. 316 BSP




NW	Afmeting	L	D	S	
		mm	mm	mm	
 	6	1/8"	30	10	2,0
	8	1/4"	30	13	2,3
	10	3/8"	30	17	2,3
	15	1/2"	35	21	2,6
	20	3/4"	40	26	2,6
	25	1"	40	33	3,2
	32	1 1/4"	50	42	3,2
	40	1 1/2"	50	48	3,6
	50	2"	55	60	3,6
	65	2 1/2"	60	76	3,6
	80	3"	65	88	4,0
	100	4"	90	114	6,0

Rvs dubbele pijpnippel bt.dr. 316 BSP


NW	Afmeting	L mm	D mm	S mm	
	6	1/8"	40	10	2,0
	8	1/4"	40	13	2,3
	10	3/8"	40	17	2,3
	15	1/2"	60	21	2,6
	20	3/4"	60	26	2,6
	25	1"	60	33	3,2
	32	1 1/4"	80	42	3,2
	40	1 1/2"	80	48	3,6
	50	2"	100	60	3,6
	65	2 1/2"	100	76	3,6
	80	3"	120	88	4,0
	100	4"	150	114	4,0
			</		

Rvs draadnippel bt.dr. 316 BSP




	NW	Afmeting	L mm
	8	1/4"	18
	10	3/8"	22
	15	1/2"	25
	20	3/4"	30
	25	1"	35
	32	1 1/4"	38
	40	1 1/2"	38
	50	2"	45
	65	2 1/2"	55
	80	3"	60

Rvs dubbele zeskantnippel bt.dr. 316 BSP


	NW	Afmeting	L mm	N mm
	6	1/8"	21	12
	8	1/4"	28	14
	10	3/8"	29	19
	15	1/2"	36	22
	20	3/4"	41	30
	25	1"	46	35
	32	1 1/4"	54	46
	40	1 1/2"	54	50
	50	2"	65	65
	65	2 1/2"	76	80
	80	3"	85	90

Rvs knie 90° bn.dr. x bt.dr. 316 BSP


	NW	Afmeting	L mm
	8	1/4"	21
	10	3/8"	24
	15	1/2"	28
	20	3/4"	33
	25	1"	38
	32	1 1/4"	45
	40	1 1/2"	49
	50	2"	57
	65	2 1/2"	69

Rvs t-stuk 3x bn.dr. 316 BSP




	NW	Afmeting	L mm
	6	1/8"	18
	8	1/4"	21
	10	3/8"	24
	15	1/2"	28
	20	3/4"	33
	25	1"	38
	32	1 1/4"	45
	40	1 1/2"	49
	50	2"	57
	65	2 1/2"	69
	80	3"	78

Rvs koppeling bn.dr. x bn.dr. konische raakvlakken 316 BSP


	NW	Afmeting	L mm	D mm	S mm
	6	1/8"	32	19	14
	8	1/4"	38	27	21
	10	3/8"	41	32	24
	15	1/2"	46	36	26
	20	3/4"	50	46	32
	25	1"	55	50	41
	32	1 1/4"	62	60	48
	40	1 1/2"	64	65	53
	50	2"	67	83	70
	65	2 1/2"	70	100	85
	80	3"	75	115	100

Rvs koppeling bn.dr. x bt.dr. konische raakvlakken 316 BSP




NW	Afmeting	L mm	N mm	S1 mm	S2 mm
 	6	1/8"	40	19	14
	8	1/4"	46	27	21
	10	3/8"	53	32	24
	15	1/2"	61	36	26
	20	3/4"	66	46	32
	25	1"	75	50	41
	32	1 1/4"	81	60	48
	40	1 1/2"	84	65	53
	50	2"	87	83	70
	65	2 1/2"	97	100	85
	80	3"	109	115	100

Rvs laskoppeling konische raakvlakken 316 BSP


NW	Afmeting	L mm	N mm	S mm
 	6	1/8"	32	19
	8	1/4"	33	27
	10	3/8"	40	32
	15	1/2"	40	36
	20	3/4"	44	46
	25	1"	52	50
	32	1 1/4"	57	60
	40	1 1/2"	63	65
	50	2"	72	83
	65	2 1/2"	80	100
	80	3"	90	115

Rvs ronde dop bn.dr. 316 BSP



	NW	Afmeting	L	D
			mm	mm
	6	1/8"	13	14
	8	1/4"	17	18
	10	3/8"	18	23
	15	1/2"	22	28
	20	3/4"	24	35
	25	1"	28	40
	32	1 1/4"	31	50
	40	1 1/2"	31	60
	50	2"	37	70
	65	2 1/2"	42	86
	80	3"	46	100

Rvs zeskant kap bn.dr. 316 BSP


	NW	Afmeting	L	N
			mm	mm
	6	1/8"	13	14
	8	1/4"	17	19
	10	3/8"	18	22
	15	1/2"	22	27
	20	3/4"	24	32
	25	1"	28	40
	32	1 1/4"	30	50
	40	1 1/2"	31	55
	50	2"	35	70
	65	2 1/2"	40	85
	80	3"	45	95
	100	4"	54	136







Rvs vierkant plug bt.dr. konische draad 316 BSP




	NW	Afmeting	L	N
			mm	mm
	6	1/8"	16	7
	8	1/4"	18	9
	10	3/8"	20	10
	15	1/2"	22	11
	20	3/4"	27	16
	25	1"	32	19
	32	1 1/4"	36	22
	40	1 1/2"	37	22
	50	2"	43	27
	65	2 1/2"	46	32

Rvs zeskant gasmoer bn.dr. 316 BSP


	NW	Afmeting	L	N
			mm	mm
	6	1/8"	7	17
	8	1/4"	8	22
	10	3/8"	9	27
	15	1/2"	9	32
	20	3/4"	10	36
	25	1"	11	46
	32	1 1/4"	13	55
	40	1 1/2"	13	60
	50	2"	14	75
	65	2 1/2"	16	95
	80	3"	19	105

[illegible]

Rvs draadbocht 90° bt.dr. zonder sok 316 BSP

	NW	Afmeting	L	H
			mm	mm
	6	1/8"	50	50
	8	1/4"	60	60
	10	3/8"	70	70
	15	1/2"	90	90
	20	3/4"	100	100
	25	1"	120	120
	32	1 1/4"	140	140
	40	1 1/2"	160	160
	50	2"	190	190

Rvs slangpilaar bt.dr. 316 BSP

	NW	Afmeting	L	N	D1
			mm	mm	mm
	6	1/8"	36	13	6,5
	8	1/4"	40	17	6,5
	8	1/4"	40	17	8,5
	10	3/8"	42	20	11,0
	15	1/2"	48	24	12,7
	15	1/2"	48	24	14,0
	20	3/4"	56	31	19,0
	25	1	65	39	25,4
	32	1 1/4"	75	46	31,8
	32	1,25	75	46	33,0
	40	1,5	78	52	38,1
	50	2	96	62	50,8
	65	2,5	107	80	63,5
	65	2,5	107	80	67
	80	3	112	91	76,1
	80	3	112	91	80,0
	100	4	130	117	101,6
	100	4	130	117	105

Rvs kogelkraan 2-delig met volle doorlaat BSP

